



NuDEL™

Triaxial BIB Catheter
with Sheath & Covered
CP Stent for the Aorta

The All-In-One Aortic Stent System

The NuDEL™ Stent Delivery System is designed for the efficient and effective treatment of Coarctation of the Aorta.

The NuDEL includes a triaxial balloon in balloon designed catheter with a Covered Mounted CP Stent™, which is then covered by a sheath as an all-in-one system. Combining the proven technologies of our NuMED BIB® balloon catheter and our Covered CP Stent™, the NuDEL System employs both our compact delivery method and the “zig” pattern stent design.

The NuDEL System is available for immediate purchase in the EU. Contact us or your local distributor to place an order.

NuMED

World Leader in Pediatric Cardiology

This device is subject to individual country regulations regarding the importation and sale of this product. Not for sale in the USA.


CE 0120

NuDEL™


Triaxial BIB Catheter with Sheath
& Covered CP Stent for the Aorta

The NuDEL™ System Includes:


- Our triaxial balloon in balloon designed catheter
 - Allows for controlled expansion of the Covered CP Stent™ by utilizing an incremental expansion of the stent
 - The inner balloon is ½ of the outer balloon diameter and 1 cm shorter
 - Each balloon inflates to the stated diameter and length at a specific pressure
 - The balloon size is ±10% at rated burst pressure (RBP)
 - Catheters are 100 cm in length and utilize a .035" guidewire
- Covered Mounted CP Stent
 - Covered CP Stent pre-mounted on a BIB Catheter
 - Pre-mounted stent on catheter eliminates assembly time requirements
 - Bare CP Stent™ framework covered with an expandable sleeve of ePTFE
- Sheath covering
- Tapered catheter tip




Step 1: Passing through the aorta, the guidewire advances, followed by the system.



Step 2: Covered CP Stent is positioned upon retraction of the sheath.



Step 3: Inflation of the inner and outer balloon.



Step 4: Covered CP Stent fully deployed.

Catalog Number	Stent Length (cm)	Balloon Diameter (mm)	Balloon Length (cm)	Profile (Fr)	Usable Length (cm)	Guidewire (in.)	Outer Balloon Burst Pressure (ATM)
DEL001	1.6	12	2.5	12	100	0.035	7
DEL002	1.6	14	2.5	12	100	0.035	6
DEL003	1.6	16	2.5	12	100	0.035	5
DEL004	2.2	12	2.5	12	100	0.035	7
DEL005	2.2	14	2.5	12	100	0.035	6
DEL006	2.2	16	2.5	12	100	0.035	5
DEL007	2.2	18	2.5	14	100	0.035	4
DEL008	2.8	14	3.0	12	100	0.035	6
DEL009	2.8	16	3.0	12	100	0.035	5
DEL010	2.8	18	3.0	14	100	0.035	4
DEL011	2.8	20	3.0	14	100	0.035	4
DEL012	3.4	14	3.5	12	100	0.035	6
DEL013	3.4	16	3.5	12	100	0.035	5
DEL014	3.4	18	3.5	14	100	0.035	4
DEL015	3.4	20	3.5	14	100	0.035	4
DEL016	3.4	22	3.5	14	100	0.035	3
DEL017	3.9	14	4.0	12	100	0.035	6
DEL018	3.9	16	4.0	12	100	0.035	5
DEL019	3.9	18	4.0	14	100	0.035	4
DEL020	3.9	20	4.0	14	100	0.035	4
DEL021	3.9	22	4.0	14	100	0.035	3
DEL022	3.9	24	4.0	14	100	0.035	3
DEL023	4.5	14	5.0	12	100	0.035	6
DEL024	4.5	16	5.0	12	100	0.035	5
DEL025	4.5	18	5.0	14	100	0.035	4
DEL026	4.5	20	5.0	14	100	0.035	4
DEL027	4.5	22	5.0	14	100	0.035	3
DEL028	4.5	24	5.0	14	100	0.035	3